Index to

VOLUME 3 1981

NEUROBEHAVIORAL TOXICOLOGY AND TERATOLOGY

Neurobehavioral Toxicology & Teratology, Vol. 3. Copyright © 1981 by ANKHO International Inc. Printed in the U.S.A.

NEUROBEHAVIORAL TOXICOLOGY AND TERATOLOGY

VOLUME 3 1981

SUBJECT INDEX

Acetaldehyde, 73
  fetal alcohol syndrome
  nutrition
  placental dysfunction
  protein synthesis
Acetaldehyde metabolism, 129
  alcohol embryopathy
  maternal alcoholism
  pathogenesis
Acetylcholinesterase, 303
  CNS functions
  diisopropylfluorophosphate
Acrylamide
  far-field somatosensory evoked potentials, 487
  neurobehavioral toxicity, 445
  neurotoxicology, 281, 445, 487
  neurotransmitter binding, 281
  somatosensory pathway, 487
Adrenal cortical function, 105
  fetal endocrinology
  maternal alcohol abuse
  ovine fetus
  pituitary-thyroid function
Adrenal secretions, 89
  fetal alcohol syndrome
  fetal endocrinology
  maternal endocrinology
  pituitary hormones
  placental hormones
  sex hormones
  thyroid
Alcohol, 431
  fetal alcohol syndrome
  inhalation toxicity
  solvents
Alcohol abuse, 153
  American Indians
  epidemiology
  fetal alcohol syndrome
Alcohol embryopathy, 129
  acetaldehyde metabolism
  maternal alcoholism
  pathogenesis
Alcohol and pregnancy, 223
  fetal alcohol syndrome
  longitudinal studies
  nicotine and pregnancy
Alcohol teratogenicity, 111
  animal models, fetal alcohol syndrome
  prenatal alcohol exposure
Alcohol teratology, fetal evaluation, 117
  fertility, male mice
  paternal alcoholism
Alcoholic beverages
  behavioral teratology, 339
  drinking, 49
  eating, 49
  ethanol, 49, 339
  feeding efficiency, 49
  growth, 49
  in utero studies, 339
  prenatal exposure, 49
Alcoholism and pregnancy
  epidemiological studies, 163
  experimental studies, 163
  fetal alcohol syndrome, 163, 169
  neonates, human, 169
American Indians, 153
  alcohol abuse
  epidemiology
  fetal alcohol syndrome
Amphetamine
  neonatal lead and memory, 369
d-Amphetamine, 363
  brain catecholamine levels
  continuous lead exposure
  locomotor activity
  neonatal lead exposure
Animal models, fetal alcohol syndrome
  alcohol teratogenicity, 111
  intragastric cannula, 121
  prenatal alcohol exposure, 111
  rhesus monkeys, 121
Anticonvulsants, 355
  epilepsy
  excitotoxicity
  GABA
  kainic acid
Artificial food dyes, 57
  erythrosin B
  hyperactivity
Ataxia, 313
  fenitrothion
  motor activity
  neurotoxicity
  organophosphates
  reflexes
Avoidance behavior, 265
  polymide
  polyurethane
  thermal decomposition
Avoidance depression, 331
  behaviorally augmented tolerance
  DFP
  organophosphate cholinesterase inhibitors
  paraoxon
  sensitization
Avoidance training, 27
  chlorpromazine
  learning deficits
  postnatal pretreatment

Behavior
  benzene, 471
  carbon disulfide, 397
  central nervous system, 397
  dichloromethane, 391
  inhalation toxicology, 471
  narcotic effects, 391

nervous system, 407
neurobehavioral toxicity, 417
neurotoxicity, 391, 407, 471
pathology, 417
peripheral nervous system, 397
postnatal triethyltin, 285
solvents, 391
toluene, 407
toxicity, 397
toxicology, 417
trichloroethylene, 417

Behavioral development
behavioral teratology, 1
locomotor development, 1
prenatal hypervitaminosis A, 1
prenatal naloxone, 295
vitamin A, 1
Behavioral teratology
alcoholic beverages, 339
behavioral development, 1
ethanol, 339
in utero studies, 339
locomotor development, 1
prenatal hypervitaminosis A, 1
prenatal naloxone, 295
vitamin A, 1
Behaviorally augmented tolerance, 331
avoidance depression
DFP
organophosphate cholinesterase inhibitors
paraoxon
sensitization
Benzene, 471
behavior
inhalation toxicology
neurotoxicity
BHA, 321
development
food additives
neurobehavioral toxicity
Birth defects, 145
congenital heart disease
fetal alcohol syndrome
Klippel-Feil syndrome
skeletal defects
Birth weight, 351
intrauterine growth retardation
marihuana
neonatal mortality
Blood pressure, 37
cognitive function
glycyrrhizin
heart rate
motor function
neurobehavioral toxicity
Body composition, 53
electrolyte composition
marihuana
neonatal growth
prenatal exposure
Brain, 355
amygdala
hippocampus
lateral septum
olfactory cortex
thalamic nuclei
Brain catecholamine levels, 363
d-amphetamine
continuous lead exposure
locomotor activity
neonatal lead exposure

Cancer, 161
fetal alcohol syndrome
fetal hydantoin syndrome
neoplasms
Carbohydrates, 343
diet selection
eating
food additives
monosodium glutamate
obesity
Carbon disulfide, 397
behavior
central nervous system
peripheral nervous system
toxicity
Central nervous system
behavior, 397
carbon disulfide, 397
methyl chloride, 425
neurotoxicity, 425
peripheral nervous system, 397
toxicity, 397
Chicken, 45
locomotor ability
subtle effects, detection method
walking patterns
Chlordimeform, 19
operant behavior
pesticides
Chlorpromazine, 27
avoidance training
learning deficits
postnatal pretreatment
Cleveland NIAAA Prospective Alcohol-in-Pregnancy Study, 203
fetal alcohol syndrome
maternal alcohol consumption
maternal nicotine use
Michigan Alcoholism Screening Test
CNS functions, 303
acetylcholinesterase
diisopropylfluorophosphate
Cognitive function, 37
blood pressure
glycyrrhizin
heart rate
motor function
neurobehavioral toxicity
Coma, 257
ammonia
metabolism
Compartmental models, 383
n-hexane
inhalation pharmacokinetics
metabolism, gases and vapors
methylene chloride
physiological models
steady-state blood:gas concentration
Conditioned aversion, 477
inhalants
lacquer thinner
stimulus properties
Conditioned avoidance, 5
PCBs
prenatal exposure
Congenital heart disease, 145
birth defects
fetal alcohol syndrome
Klippel-Feil syndrome
skeletal defects
Contingent negative variation, 183
cortical evoked potentials
fetal alcohol syndrome

Continuous lead exposure, 363
d-amphetamine
brain catecholamine levels
locomotor activity
neonatal lead exposure
Cortical evoked potentials, 183
contingent negative variation
fetal alcohol syndrome

Development
BHA, 321
food additives, 321
neurobehavioral toxicity, 321
postnatal triethyltin, 285
DFP, 331
avoidance depression
behaviorally augmented tolerance
organophosphate cholinesterase inhibitors
paraoxon
sensitization
Dichloromethane, 391
behavior
narcotic effects
neurotoxicity
solvents
Diet selection, 343
carbohydrates
eating
food additives
monosodium glutamate
obesity
Diisopropylfluorophosphate, 303
acetylcholinesterase
CNS functions
Dopamine, 281
neurotoxicology
neurotransmitter binding
Drinking, 49
alcoholic beverages
eating
ethanol
feeding efficiency
growth
prenatal exposure
Drug
acetaldehyde, 129
acrylamide, 281, 445
alcohol, 49, 105, 111, 153, 173, 187, 195, 203, 211, 223, 339, 431
ammonia, 257
amphetamine 369
d-amphetamine 363
Aroclor 1248, 15
Arochlor 1254, 5
caffeine, 211
carbon disulfide, 397
chlordimeform HCl, 19
chlorpromazine, 27
DFP, 331
diazepam, 355
dopamine, 281
ethanol, 11, 45, 49, 81, 89, 117, 339
fenitrothion, 313
glycyrrhizin, 37
kainic acid, 355
lead, 363
lithium chloride, 477
marihuana, 53, 351
methamphetamine, 261
naloxone, 295
nicotine, 187, 195, 203, 211, 223, 261
paraoxon, 331
phencyclidine (PCP), 11
phenobarbital, 271, 355
phenytoin, 355
physostigmine, 369
scopolamine, 369
serotonin, 281
spiroperidol, 281
toluene, 467, 471
triethyltin, 285
valproic acid, 355
Drug abuse, 211
fetal alcohol syndrome
maternal alcohol consumption
maternal caffeine consumption
maternal nicotine use
pregnancy, human
Drug interactions, 11
ethanol
lethality
phencyclidine
sleep time
Drugs and aging, 261
fetal drug exposure
locomotor activity
maternal drug exposure
methamphetamine
nicotine

Eating
alcoholic beverges, 49
carbohydrates, 343
diet selection, 343
drinking, 49
ethanol, 49
feeding efficiency, 49
food additives, 343
growth, 49
monosodium glutamate, 343
obesity, 343
prenatal exposure, 49
Electrolyte composition, 53
body composition
marihuana
neonatal growth
prenatal exposure
Epidemiological studies, 163
alcoholism and pregnancy
experimental studies
fetal alcohol syndrome
Epidemiology, 153
alcohol abuse
American Indians
fetal alcohol syndrome
Epilepsy, 355
anticonvulsants
excitotoxicity
GABA
kainic acid

Erythrosin B, 57
artificial food dyes
hyperactivity
Ethanol
alcoholic beverages, 49, 339
behavioral teratology, 339
drinking, 49
drug interactions, 11
eating, 49
feeding efficiency, 49
growth, 49
in utero studies, 339
lethality, 11

phencyclidine, 11
prenatal exposure, 49
sleep time, 11
Excitotoxicity, 355
anticonvulsants
epilepsy
GABA
kainic acid
Experimental studies, 163
alcoholism and pregnancy
epidemiological studies
fetal alcohol syndrome

Far-field somatosensory evoked potentials, 487
acrylamide
neurotoxicity
somatosensory pathway
Feeding efficiency, 49
alcoholic beverages
drinking
eating
ethanol
growth
prenatal exposure
Fenitrothion, 313
ataxia
motor activity
neurotoxicity
organophosphates
reflexes
Fertility, male mice, 117
alcohol teratology, fetal evaluation
paternal alcoholism
Fetal alcohol syndrome
acetaldehyde, 73
adrenal secretions, 89
alcohol, 431
alcohol abuse, 153
alcoholism and pregnancy, 163, 169, 223
American Indians, 153
birth defects, 145
cancer, 161
Cleveland NIAAA Prospective Alcohol-in-Pregnancy Study, 203
congenital heart disease, 145
contingent negative variation, 183
cortical evoked potentials, 183
drug abuse, 211
epidemiological studies, 163
epidemiology, 153
experimental studies, 163
fetal endocrinology, 89
fetal hydantoin syndrome, 161
follow-up studies, human, 157
inhalation toxicity, 431
IQ, 157
Klippel-Feil syndrome, 145
lipids, 81
longitudinal studies, 223
maternal caffeine consumption, 211
maternal endocrinology, 89
maternal ethanol consumption, 81, 195, 203, 211
maternal nicotine use, 195, 203, 211
methodology, Boston City Hospital Prospective Study, 195
Michigan Alcoholism Screening Test, 203
myelination, 81
neonates, human, 169
neoplasms, 161
neurotransmitter metabolism, 81
nicotine and pregnancy, 223
nutrition, 73
pituitary hormones, 89
placental dysfunction, 73
placental hormones, 89
pregnancy, human, 211
protein synthesis, 73
psychoactive drugs and pregnancy, 195
sex hormones, 89
skeletal defects, 145
solvents, 431
thyroid, 89
Fetal drug exposure, 261
drugs and aging
locomotor activity
maternal drug exposure
methamphetamine
nicotine
Fetal endocrinology
adrenal cortical function, 105
adrenal secretions, 89
fetal alcohol syndrome, 89
maternal alcohol abuse, 105
maternal endocrinology, 89
ovine fetus, 105
pituitary hormones, 89
pituitary-thyroid function, 105
placental hormones, 89
sex hormones, 89
thyroid, 89
Fetal hydantoin syndrome, 161
cancer
fetal alcohol syndrome
neoplasms
Follow-up studies, human
fetal alcohol syndrome, 157
IQ, 157
longitudinal behavioral assessment, 187
prenatal alcohol exposure, 187
prenatal nicotine exposure, 187
Food additives
BHA, 321
carbohydrates, 343
development, 321
diet selection, 343
eating, 343
monosodium glutamate, 343
neurobehavioral toxicity, 321
obesity, 343

GABA, 355
anticonvulsants
epilepsy
excitotoxicity
kainic acid
Glycyrrhizin, 37
blood pressure
cognitive function
heart rate
motor function
neurobehavioral toxicity
Growth, 49
alcoholic beverages
drinking
eating
ethanol
feeding efficiency
prenatal exposure

Heart rate, 37
blood pressure
cognitive function
glycyrrhizin

motor function
neurobehavioral toxicity
Hexacarbon solvents, 437
2,5-hexanedione
methyl n-butyl ketone
neuropathy
neurotoxicology
N-hexane
n-Hexane
compartmental models, 383
hexacarbon solvents, 437
2,5-hexanedione, 437
inhalation pharmacokinetics, 383
metabolism, gases and vapors, 383
methyl n-butyl ketone, 437
methylene chloride, 383
neuropathy, 437
neurotoxicology, 437
physiological models, 383
steady-state blood:gas concentration, 383
2,5-Hexanedione, 437
hexacarbon solvents
N-hexane
methyl n-butyl ketone
neuropathy
neurotoxicology
Hyperactivity
artificial food dyes, 57
erythrosin B, 57
hypoactivity, 15
PCBs, 15
perinatal exposure, 15
rhesus monkeys, 15
Hypoactivity, 15
hyperactivity
PCBs
perinatal exposure
rhesus monkeys

Inhalants, 477
conditioned aversion
lacquer thinner
stimulus properties
Inhalation, 471
operant behavior
solvent abuse
tolerance
toluene
Inhalation pharmacokinetics, 383
compartmental models
n-hexane
metabolism, gases and vapors
methylene chloride
physiological models
steady-state blood:gas concentration
Inhalation toxicity, 431
alcohol
fetal alcohol syndrome
solvents
Inhalation toxicology, 471
behavior
benzene
neurotoxicity
Intragastric cannula, 121
animal models, fetal alcohol syndrome
rhesus monkeys
Intrauterine growth retardation, 351
birth weight
marihuana
neonatal mortality

In utero studies, 339
alcoholic beverages
behavioral teratology
ethanol
IQ, 157
fetal alcohol syndrome
follow-up studies, human

Kainic acid, 355
anticonvulsants
epilepsy
excitotoxicity
GABA
Klippel-Feil syndrome, 145
birth defects
congenital heart disease
fetal alcohol syndrome
skeletal defects

Lacquer thinner, 477
conditioned aversion
inhalants
stimulus properties
Lead, 369
amphetamine
memory
physostigmine
scopolamine
spatial alternation
Learning deficits, 27
avoidance training
chlorpromazine
postnatal pretreatment
Lethality, 11
drug interactions
ethanol
phencyclidine
sleep time
Lipids, 81
fetal alcohol syndrome
maternal ethanol consumption
myelination
neurotransmitter metabolism
Locomotor ability, 45
chicken
subtle effects, detection method
walking patterns
Locomotor activity
d-amphetamine, 363
brain catecholamine levels, 363
continuous lead exposure, 363
drugs and aging, 261
fetal drug exposure, 261
maternal drug exposure, 261
methamphetamine, 261
neonatal lead exposure, 363
nicotine, 261
Locomotor development, 1
behavioral development
behavioral teratology
prenatal hypervitaminosis A
vitamin A
Longitudinal behavioral assessment, 187
follow-up studies, human
prenatal alcohol exposure
prenatal nicotine exposure
Longitudinal studies, 223
alcohol and pregnancy
fetal alcohol syndrome
nicotine and pregnancy

Marihuana
birth weight, 351
body composition, 53
electrolyte composition, 53
intrauterine growth retardation, 351
neonatal growth, 53
neonatal mortality, 351
prenatal exposure, 53
Maternal alcohol abuse, 105
adrenal cortical function
fetal endocrinology
ovine fetus
pituitary-thyroid function
Maternal alcohol consumption
Cleveland NIAAA Prospective Alcohol-in-Pregnancy Study, 203
drug abuse, 211
fetal alcohol syndrome, 81, 195, 203, 211
lipids, 81
maternal caffeine consumption, 211
maternal nicotine use, 195, 203, 211
methodology, Boston City Hospital Prospective Study, 195
Michigan Alcoholism Screening Test, 203
myelination, 81
neurotransmitter metabolism, 81
pregnancy, human, 211
psychoactive drugs and pregnancy, 195
Maternal alcoholism, 129
acetaldehyde metabolism
alcohol embryopathy
pathogenesis
Maternal caffeine consumption, 211
drug abuse
fetal alcohol syndrome
maternal alcohol consumption
maternal nicotine use
pregnancy, human
Maternal drug exposure, 261
drugs and aging
fetal drug exposure
locomotor activity
methamphetamine
nicotine
Maternal endocrinology, 89
adrenal secretions
fetal alcohol syndrome
fetal endocrinology
pituitary hormones
placental hormones
sex hormones
thyroid
Maternal nicotine use
Cleveland NIAAA Prospective Alcohol-in-Pregnancy Study, 203
drug abuse, 211
fetal alcohol syndrome, 195, 203, 211
maternal alcohol consumption, 195, 203, 211
maternal caffeine consumption, 211
methodology, Boston City Hospital Prospective Study, 195
Michigan Alcoholism Screening Test, 203
pregnancy, human, 211
psychoactive drugs and pregnancy, 195
Maternal phenobarbital
effects on offspring, 271
Memory, 369
amphetamine
lead
physostigmine
scopolamine
spatial alternation
Metabolism, 257
ATP
glucose
glycogen
phosphocreatine
Metabolism, gases and vapors, 383
compartmental models
n-hexane
inhalation pharmacokinetics
methylene chloride
physiological models
steady-state blood:gas concentration
Methamphetamine, 261
drugs and aging
fetal drug exposure
locomotor activity
maternal drug exposure
Method
detecting subtle effects, 45
intragastric cannula, 121
Michigan Alcoholism Screening Test, 203
Methodology, Boston City Hospital Prospective Study, 195
fetal alcohol syndrome
maternal alcohol consumption
maternal nicotine use
psychoactive drugs and pregnancy
Methyl n-butyl ketone, 437
hexacarbon solvents
N-hexane
2,5-hexanedione
neuropathy
neurotoxicology
Methyl chloride, 425
central nervous system
neurotoxicity
Methylene chloride, 383
compartmental models
n-hexane
inhalation pharmacokinetics
metabolism, gases and vapors
physiological models
steady-state blood:gas concentration
Michigan Alcoholism Screening Test, 203
Cleveland NIAAA Prospective Alcohol-in-Pregnancy Study
fetal alcohol syndrome
maternal alcohol consumption
maternal nicotine use
Moderate maternal alcohol, 173
neonates, human
pregnancy
Monosodium glutamate, 343
carbohydrates
diet selection
eating
food additives
obesity
Motor activity, 313
ataxia
fenitrothion
neurotoxicity
organophosphates
reflexes
Motor function, 37
blood pressure
cognitive function
glycyrrhizin
heart rate
neurobehavioral toxicity
Myelination, 81
fetal alcohol syndrome
lipids
maternal ethanol consumption
neurotransmitter metabolism

Naloxone, 295
behavioral development
behavioral teratology
prenatal
psychoteratology
Narcotic effects, 391
behavior
dichloromethane
neurotoxicity
solvents
Neonatal growth, 53
body composition
electrolyte composition
marihuana
prenatal exposure
Neonatal lead exposure, 363
d-amphetamine
brain catecholamine levels
continuous lead exposure
locomotor activity
Neonatal mortality, 351
birth weight
intrauterine growth retardation
marihuana
Neonates, human
alcoholism and pregnancy, 169
fetal alcohol syndrome, 169
moderate maternal alcohol, 173
pregnancy, 173
Neoplasms, 161
cancer
fetal alcohol syndrome
fetal hydantoin syndrome
Nervous system, 407
behavior
neurotoxicity
toluene
Neurobehavioral toxicity
acrylamide, 445
behavior, 417
BHA, 321
blood pressure, 37
cognitive function, 37
development, 321
food additives, 321
glycyrrhizin, 37
heart rate, 37
motor function, 37
neurotoxicity, 445
pathology, 417
toxicology, 417
trichloroethylene, 417
Neuropathy, 437
hexacarbon solvents
N-hexane
2,5-hexanedione
methyl n-butyl ketone
neurotoxicology
Neurotoxicity
acrylamide, 281, 445, 487
ataxia, 313
behavior, 391, 407, 471
benzene, 471
central nervous system, 425
dichloromethane, 391
dopamine, 281
far-field somatosensory evoked potentials, 487
fenitrothion, 313
hexacarbon solvents, 437
N-hexane, 437
2,5-hexanedione, 437
inhalation toxicology, 471
methyl n-butyl ketone, 437
methyl chloride, 425
motor activity, 313
narcotic effects, 391
nervous system, 407
neurobehavioral toxicity, 445
neuropathy, 437
neurotransmitter binding, 281
organophosphates, 313
reflexes, 313
schedule-controlled responding, 463
serotonin, 281
solvents, 391, 463
somatosensory pathway, 487
spiroperidol, 281
toluene, 407, 463
Neurotransmitter binding, 281
acrylamide
dopamine
neurotoxicology
serotonin
sprioperidol
Neurotransmitter metabolism, 81
fetal alcohol syndrome
lipids
maternal ethanol consumption
myelination
Nicotine, 261
drugs and aging
fetal drug exposure
locomotor activity
maternal drug exposure
Nicotine and pregnancy, 223
alcohol and pregnancy
fetal alcohol syndrome
longitudinal studies
Nutrition, 73
acetaldehyde
fetal alcohol syndrome
placental dysfunction
protein synthesis

Obesity, 343
carbohydrates
diet selection
eating
food additives
monosodium glutamate
Open field, 467
perinatal exposure
rotorod performance
toluene
Operant behavior
chlordimeform, 19
inhalation, 471
pesticides, 19
solvent abuse, 471
tolerance, 471
toluene, 471
Organophosphate cholinesterase inhibitors, 331
avoidance depression
behaviorally augmented tolerance
DFP
paraoxon
sensitization
Organophosphates, 313
ataxia
fenitrothion
motor activity
neurotoxicity
reflexes

Ovine fetus, 105
adrenal cortical function
fetal endocrinology
maternal alcohol abuse
pituitary-thyroid function

Paraoxon, 331
avoidance depression
behaviorally augmented tolerance
DFP
organophosphate cholinesterase inhibitors
sensitization
Paternal alcoholism, 117
alcohol teratology, fetal evaluation
fertility, male mice
Pathogenesis, 129
acetaldehyde metabolism
alcohol embryopathy
maternal alcoholism
Pathology, 417
behavior
neurobehavioral toxicity
toxicology
trichloroethylene
PCBs (polychlorinated biphenyls)
conditioned avoidance, 5
hyperactivity, 15
hypoactivity, 15
perinatal exposure, 5, 15
rhesus monkeys, 15
Perinatal exposure
hyperactivity, 15
hypoactivity, 15
open field, 467
PCBs, 15
rhesus monkeys, 15
rotorod performance, 467
toluene, 467
Peripheral nervous system, 397
behavior
carbon disulfide
central nervous system
toxicity
Pesticides, 19
chlordimeform
operant behavior
Phencyclidine (PCP), 11
drug interactions
ethanol
lethality
sleep time
Phenobarbital, 271
catecholamines
dopamine
effects on offspring
GABA
maternal administration
neurotransmitter uptake
norepinephrine
serotonin
Physiological models, 383
compartmental models
n-hexane
inhalation pharmacokinetics
metabolism, gases and vapors
methylene chloride
physiological models
steady-state blood:gas concentration
Physostigmine
neonatal lead and memory, 369

Pituitary hormones, 89
adrenal secretions
fetal alcohol syndrome
fetal endocrinology
maternal endocrinology
placental hormones
sex hormones
thyroid
Pituitary-thyroid function, 105
adrenal cortical function
fetal endocrinology
maternal alcohol abuse
ovine fetus
Placental dysfunction, 73
acetaldehyde
fetal alcohol syndrome
nutrition
protein synthesis
Placental hormones, 89
adrenal secretions
fetal alcohol syndrome
fetal endocrinology
maternal endocrinology
pituitary hormones
sex hormones
thyroid
Polymide, 265
avoidance behavior
thermal decomposition
Polyurethane, 265
avoidance behavior
thermal decomposition
Postnatal pretreatment, 27
avoidance training
chlorpromazine
learning deficits
Pregnancy, 173
moderate maternal alcohol
neonates, human
Pregnancy, human, 211
drug abuse
fetal alcohol syndrome
maternal alcohol comsumption
maternal caffeine consumption
maternal nicotine use
Prenatal alcohol exposure
alcohol teratogenicity, 111
animal models, fetal alcohol syndrome, 111
follow-up studies, human, 187
longitudinal behavioral assessment, 187
prenatal nicotine exposure, 187
Prenatal exposure
alcoholic beverages, 49
body composition, 53
conditioned avoidance, 5
drinking, 49
eating, 49
electrolyte composition, 53
ethanol, 49
feeding efficiency, 49
growth, 49
marihuana, 53
naloxone and behavioral development, 295
naloxone and behavioral teratology, 295
naloxone and psychoteratology, 295
neonatal growth, 53
PCBs, 5
Prenatal hypervitaminosis A, 1
behavioral development
behavioral teratology
locomotor development
vitamin A

Prenatal nicotine exposure, 187
follow-up studies, human
longitudinal behavioral assessment
prenatal alcohol exposure
Protein synthesis, 73
acetaldehyde
fetal alcohol syndrome
nutrition
placental dysfunction
Psychoactive drugs and pregnancy, 195
fetal alcohol syndrome
maternal alcohol consumption
maternal nicotine use
methodology, Boston City Hospital Prospective Study
Psychoteratology
prenatal naloxone, 295

Reflexes, 313
ataxia
fenitrothion
motor activity
neurotoxicity
organophosphates
Reticular activating system (RAS), 257
ammonia coma
metabolism
Rhesus monkeys
animal models, fetal alcohol syndrome, 121
hyperactivity, 15
hypoactivity, 15
intragastric cannula, 121
PCBs, 15
perinatal exposure, 15
Rotorod performance, 467
open field
perinatal exposure
toluene

Schedule-controlled responding, 463
neurotoxicity
solvents
toluene exposure
Scopolamine
neonatal lead and memory, 369
Sensitization, 331
avoidance
behaviorally augmented tolerance
DFP
organophosphate cholinesterase inhibitors
paraoxon
Serotonin, 281
neurotoxicology
neurotransmitter binding
Sex hormones, 89
adrenal secretions
fetal alcohol syndrome
fetal endocrinology
maternal endocrinology
pituitary hormones
placental hormones
thyroid
Skeletal defects, 145
birth defects
congenital heart disease
fetal alcohol syndrome
Klippel-Feil syndrome
Sleep time, 11
drug interactions
ethanol
lethality
phencyclidine

Solvent abuse, 471
inhalation
operant behavior
tolerance
toluene
Solvents
alcohol, 431
behavior, 391
dichloromethane, 391
fetal alcohol syndrome, 431
inhalation toxicity, 431
narcotic effects, 391
neurotoxicity, 391, 463
schedule-controlled responding, 463
toluene exposure, 463
Somatosensory pathway, 487
acrylamide
far-field somatosensory evoked potentials
neurotoxicity
Spatial alternation, 369
amphetamine
lead
memory
physostigmine
scopolamine
Spiroperidol, 281
neurotoxicology
neurotransmitter binding
Steady-state blood:gas concentration, 383
compartmental models
n-hexane
inhalation pharmacokinetics
metabolism, gases and vapors
methylene chloride
physiological models
Stimulus properties, 477
conditioned aversion
inhalants
lacquer thinner
Subtle effects, detection method, 45
chicken
locomotor ability
walking patterns

Thermal decomposition, 265
avoidance behavior
polymide
polyurethane
Thyroid, 89
adrenal secretions
fetal alcohol syndrome
fetal endocrinology
maternal endocrinology
pituitary hormones
placental hormones
sex hormones
Tolerance, 471
inhalation
operant behavior
solvent abuse
toluene
Toluene
behavior, 407
inhalation, 471
nervous system, 407
neurotoxicity, 407
open field, 467
operant behavior, 471
perinatal exposure, 467
rotorod performance, 467
solvent abuse, 471
tolerance, 471

Toluene exposure, 463
neurotoxicity
schedule-controlled responding
solvents
Toxicity, 397
behavior
carbon disulfide
central nervous system
peripheral nervous system
Toxicology, 417
behavior
neurobehavioral toxicity
pathology
trichloroethylene
Trichloroethylene, 417
behavior
neurobehavioral toxicity
pathology
toxicology

Triethyltin, 285
postnatal exposure and behavior
postnatal exposure and development

Vitamin A, 1
behavioral development
behavioral teratology
locomotor development
prenatal hypervitaminosis A

Walking patterns, 45
chicken
locomotor ability
subtle effects, detection method

Neurobehavioral Toxicology & Teratology, Vol. 3. Copyright © 1981 by ANKHO International Inc. Printed in the U.S.A.

AUTHOR INDEX

AASE, J. M., 153
ABEL, E. L., 49, 53, 339, 351
ALPERT, J. J., 195
ALTSHULER, H. L., 121
AMORICO, L., 331
ANDERSEN, M. E., 383
ANDERSON, R. A., JR., 89, 117
ANNAU, Z., 417

BALSTER, R. L., 471
BARR, H. M., 223
BATTER, D. K., 57
BENIGNUS, V. A., 407
BIGNAMI, G., 331
BISSO, G. M., 303
BONILLA, E., 277
BOREN, J. L., 11
BOWMAN, R. E., 15
BOYES, W. K., 487
BRODIE, R. E., 37
BRUNNER, R. L., 321
BUFFINGTON, V., 183
BUSH, R., 339, 351
BUTCHER, R. E., 321

CASTRO, M. I., 105
CLARREN, S. K., 239
COHEN, M. M., JR., 161
COLLINS, G., 203
COLOTLA, V. A., 477
CONSROE, P., 11
COOPER, G. P., 487

DARBY, B. L., 157
DAY, N., 195
DE ACETIS, L., 331
DEAN, K. F., 285
DEBANNE, S., 203
DEMPSTER, A. M., 481
DINTCHEFF, B. A., 339, 351
DOLNIKOFF, M., 169
DOOLING, E., 195
DRUSE, M. J., 81
DU MAZAUBRUN, C., 173

ERNST, C. A. S., 351
EVANS, H. L., 481

FRANC, M., 173
FULLER, T. A., 355
FURBY, J. E., 117

GIARDINI, V., 331
GLOWA, J. R., 463
GOLDEN, N., 203
GOLDENRING, J. R., 57
GOLDSMITH, M., 363
GRANT, L. D., 369
GREENLAND, R. D., 363
GREIZERSTEIN, H. B., 53
GRIFFIN, J. W., 437
GRINFELD, H., 169

HART, J. L., 5
HAYASHI, T., 27
HEAVNER, G. B., 285
HEBERT, D., 313
HEIRONIMUS, M. P., 15
HENDERSON, G. I., 73
HINGSON, R., 195
HOTCHIN, J., 467
HOYENGA, K. B., 1
HOYENGA, K. T., 1
HOYUMPA, A. M., JR., 73

KAMINSKI, M., 173
KANAREK, R. B., 343
KAPLAN, J., 203
KISSINGER, D. G., 211
KOSTAS, J., 467
KRIGMAN, M. R., 369
KUZMA, J. W., 211

LANDESMAN-DWYER, S., 187
LARANJEIRA, R. R., 169
LEANDER, J. D., 19
LEBOUVIER, M., 173
LITTLE, R. E., 163, 187

McCANDLESS, D. W., 257

MACLEOD, P. M., 145
MACPHAIL, R. C., 19
MAJEWSKI, F., 129
MARKS-KAUFMAN, R., 343
MARTIER, S., 203
MARTIN, D. C., 183, 223, 261
MARTIN, J. C., 223, 261
MARTÍNEZ, H., 277
MASUR, J., 169
MEIS, P. J., 105
MENEGUZ, A., 303
MICHAELSON, I. A., 363
MICHALEK, H., 303
MIDDAUGH, L. D., 271
MILAR, K. S., 369
MILLER, S. I., 203
MOONEY, M. P., 1
MORTON, J. R. C., 1
MOSER, V. C., 471

NELSON, B. K., 255
NEWBY-SCHMIDT, M. B., 45
NEWMAN, D. E., 145
NOBLE, E. P., 71, 247
NORTON, S., 45

OLNEY, J. W., 355
OPPENHEIMER, E., 195
OSWALD, C., 117

PATWARDHAN, R. V., 73

RAFALES, L. S., 363
RAGOZIN, A. S., 187
RANDALL, C. L., 71, 111, 237
REED, G. F., 37
REITER, L. W., 285
REPKO, J. D., 425
RILEY, E. P., 111
RONDEAU, D. B., 313
ROSE, J. C., 105
ROSETT, H. L., 71, 195, 243
RUMEAU-ROUQUETTE, C., 173
RUPPERT, P. H., 285
RUSSELL, M., 281
RUSSO, D. M., 265

SANDOR, G. G., 145
SCHENKER, S., 71, 73
SCHNEIDER, H. J., 265
SGRO, P., 265
SHAYWITZ, B. A., 57
SHIPPENBERG, T. S., 121
SHOEMAKER, W. J., 431
SILVA, V. A., 169
SIMPSON, L. W., 271
SMITH, D. F., 145
SMITH, D. W., 71, 127, 157, 183
SMITH, R. F., 5
SNYDER, C. A., 481
SOBOTKA, T. J., 37, 321
SOKOL, R. J., 203
SPAID, S. L., 37
SPARBER, S. B., 59
STORM, J. E., 5
STREISSGUTH, A. P., 71, 157, 183, 223, 241

TABAKOFF, B., 71, 235
TADOKORO, S., 27
THOMAS, T. N., 271
TILSON, H. A., 445
TREDWELL, S., 145
TROTTIER, B. L., 313

UPHOUSE, L., 281

VILA, J., 477
VORHEES, C. V., 295, 321

WEINER, L., 195
WINNEKE, G., 391
WOOD, B., 145
WOOD, R. W., 397
WOOTTEN, V., 321

YOUNG, L., 313

ZANEVELD, L. J. D., 117
ZEMP, J. W., 271
ZENICK, H., 363
ZUCKERMAN, B., 195